

Part Number	Center Wavelength (nm)	Band Width (nm)	Transmission (%)	Blocking Wavelength (nm)	Optical Density	Thickness (mm)
FIL0225-12-20-2	225	12	20	200-2000	2	4
FIL0225-12-20-1	225	12	20	200-2000	1	4
FIL0240-10-20-4	240	10	20	200-1200	4	6
FIL0252-06-20-3	252	6	20	200-2000	3	6
FIL0252-08-13-3	252	8	13	200-2000	3	4.26
FIL0254-12-15-4	253.7	12	15	400-1100	4	4.26
FIL0254-12-15-4	253.7	12	15	400-1100	4	4.26
FIL0254-10-15-4	254	10	15	200-1200	4	6
FIL0254-12-08-4	254	12	8	200-1200	4	6
FIL0254-15-20-4	254	15	20	200-1200	4	3.1
FIL0255-08-18-4	255	8	18	400-1100	4	4.26
FIL0256-10-15-3	256	10	15	200-2000	3	4.26
FIL0256-10-20-3	256	10	20	200-2000	3	4.26
FIL0256-12-15-3	256	12	15	200-2000	3	4.26
FIL0302-10-30-4	302	10	30	200-1200	4	6
FIL0310-10-45-3	310	10	45	200-800	3	6
FIL0313-10-75-2	313	10	75	350-700	2	4.26
FIL0330-10-50-4	330	10	50	200-900	4	6
FIL0337-6K-54-4	337	6	54	200-1200	4	6
FIL0340-10-50-3	340	10	50	200-1100	3	1.8
FIL0340-10-60-2	340	10	60	200-1100	2	1.2
FIL0340-10-50-4	340	10	50	200-900	4	6
FIL0345-12-40-4	345	12	40	200-1100	4	6
FIL0345-12-40-4	345	12	40	200-1100	4	6
FIL0350-08-35-2	350	8	35	200-1200	2	6
FIL0353-10-50-4	353	10	50	200-900	4	6
FIL0355-08-25-3	355	8	25	200-1200	3	6
FIL0355-08-20-3	355	8	20	200-1200	3	6
FIL0355-50-65-3	355	50	65	350-700	3	6

Part Number	Center Wavelength (nm)	Band Width (nm)	Transmission (%)	Blocking Wavelength (nm)	Optical Density	Thickness (mm)
FIL0358-13-55-4	358	13	55	200-1100	4	6
FIL0358-13-55-4	358	13	55	200-1100	4	6
FIL0360-10-40-4	360	10	40	200-1100	4	1.8
FIL0360-10-30-4	360	10	30	200-1100	4	4.2
FIL0360-10-45-4	360	10	45	200-900	4	6
FIL0360-10-35-4	360	10	35	200-900	4	6
FIL0360-11-40-4	360	11	40	200-1100	4	6
FIL0360-12-60-4	360	12	60	200-1100	4	6
FIL0360-60-44-4	360	60	44	200-1200	4	4.1
FIL0363-10-35-4	363	10	35	200-1200	4	6
FIL0365-10-50-4	365	10	50	200-1000	4	6
FIL0365-30-80-3	365	30	80	200-800	3	6
FIL0365-40-55-4	365	40	55	200-1100	4	6
FIL0367-10-40-4	367	10	40	200-1200	4	6
FIL0370-10-55-3	370	10	55	200-1100	3	6
FIL0374-07-40-3	374	7	40	200-1150	3	6
FIL0375-07-30-3	375	7	30	200-1200	3	6
FIL0375-10-40-4	375	10	40	200-1200	4	6
FIL0377-10-50-4	377	10	50	200-900	4	6
FIL0379-12-45-3	379	12	45	200-1100	3	6
FIL0380-10-55-4	380	10	55	200-1100	4	6
FIL0383-10-60-4	383	10	60	200-1100	4	3.2
FIL0387-10-40-4	387	10	40	200-1200	4	6
FIL0387-10-40-4	387	10	40	200-1200	4	6
FIL0390-10-60-3	390	10	60	200-1100	3	6
FIL0390-10-40-4	390	10	40	200-1200	4	6
FIL0390-10-60-4	390	10	60	200-900	4	6
FIL0395-10-50-3	395	10	50	200-1100	3	6
FIL0395-10-80-3	395	10	80	200-700	3	6
FIL0400-10-80-3	400	10	80	200-700	3	0.55



Part Number	Center Wavelength (nm)	Band Width (nm)	Transmission (%)	Blocking Wavelength (nm)	Optical Density	Thickness (mm)
FIL0402-12-85-3	402	12	85	200-700	3	6
FIL0405-10-55-3	405	10	55	200-1100	3	6
FIL0405-10-55-4	405	10	55	200-1200	4	6
FIL0405-11-60-4	405	11	60	200-1000	4	6
FIL0405-20-65-4	405	20	65	200-1200	4	2.5
FIL0405-20-65-4	405	20	65	200-1200	4	6
FIL0405-20-65-4	405	20	65	200-1200	4	6
FIL0407-10-55-4	407	10	55	200-1200	4	6
FIL0408-10-70-4	408	10	70	200-1200	4	6
FIL0408-11-65-4	408	11	65	200-1100	4	6
FIL0410-10-65-3	410	10	65	200-700	3	6
FIL0410-10-60-4	410	10	60	200-900	4	6
FIL0410-20-65-4	410	20	65	200-1200	4	6
FIL0410-20-65-4	410	20	65	200-1200	4	6
FIL0412-10-60-3	412	10	60	200-1200	3	6
FIL0415-08-55-4	415	8	55	200-1200	4	6
FIL0415-20-60-4	415	20	60	200-1200	4	6
FIL0415-20-60-4	415	20	60	200-1200	4	6
FIL0415-20-60-4	415	20	60	200-1200	4	6
FIL0418-10-60-4	418	10	60	200-1200	4	6
FIL0418-10-60-4	418	10	60	200-1200	4	6
FIL0420-10-60-4	420	10	60	200-1000	4	2.7
FIL0420-10-70-4	420	10	70	200-1200	4	6
FIL0420-10-50-4	420	10	50	200-1200	4	6
FIL0420-55-85-4	420	55	85	200-800	4	6
FIL0423-10-65-2	423	10	65	200-1100	2	6
FIL0425-10-65-4	425	10	65	>65%->65%	4	6
FIL0425-10-65-4	425	10	65	200-1200	4	6
FIL0425-10-80-3	425	10	80	200-700	3	6
FIL0430-10-65-4	430	10	65	200-900	4	6



Part Number	Center Wavelength (nm)	Band Width (nm)	Transmission (%)	Blocking Wavelength (nm)	Optical Density	Thickness (mm)
FIL0430-30-85-2	430	30	85	200-1100	2	2.9
FIL0434-10-65-4	434	10	65	200-1200	4	6
FIL0435-10-60-4	435	10	60	200-1200	4	6
FIL0436-10-55-4	436	10	55	200-1200	4	6
FIL0436-10-55-4	436	10	55	200-1200	4	6
FIL0440-10-70-4	440	10	70	200-1200	4	6
FIL0440-10-70-4	440	10	70	200-1200	4	6
FIL0440-25-90-2	440	25	90	200-1100	2	6
FIL0440-45-90-4	440	45	90	200-800	4	0.55
FIL0445-10-80-3	445	10	80	200-700	3	6
FIL0445-100-90-2	445	100	90	300-1900	2	6
FIL0445-103-90-2	445	103	90	300-950	2	6
FIL0446-12-70-4	446	12	70	200-1100	4	6
FIL0446-10-65-4	446.1	10	65	200-1200	4	6
FIL0448-10-60-4	448	10	60	200-1200	4	6
FIL0450-10-70-4	450	10	70	300-1900	4	6
FIL0450-10-75-3	450	10	75	300-1900	3	1.2
FIL0450-10-50-3	450	10	50	400-1100	3	6
FIL0450-52-85-3	450	52	85	200-800	3	0.55
FIL0451-05-60-3	451	5	60	200-1100	3	4
FIL0451-10-65-4	451	10	65	200-1200	4	6
FIL0452-10-80-3	452	10	80	300-1900	3	6
FIL0454-20-85-2	454	20	85	200-1100	2	6
FIL0454-20-85-2	454	20	85	200-1100	2	6
FIL0455-10-60-4	455	10	60	200-1200	4	6
FIL0455-10-60-4	455	10	60	200-1200	4	2.8
FIL0455-10-60-4	455	10	60	200-1200	4	6
FIL0455-10-60-4	455	10	60	200-1200	4	6
FIL0455-20-85-2	455	20	85	200-1100	2	0.55
FIL0455-103-70-1	455	103	70	200-1000	1	1.1



Part Number	Center Wavelength (nm)	Band Width (nm)	Transmission (%)	Blocking Wavelength (nm)	Optical Density	Thickness (mm)
FIL0457-10-70-4	457	10	70	200-1100	4	6
FIL0457-10-65-4	457	10	65	200-1200	4	6
FIL0457-10-65-4	457	10	65	200-1200	4	6
FIL0460-10-60-4	460	10	60	200-1200	4	6
FIL0460-10-60-4	460	10	60	200-1200	4	4.26
FIL0460-20-75-4	460	20	75	200-1100	4	6
FIL0460-20-75-4	460	20	75	200-1200	4	6
FIL0460-20-75-4	460	20	75	200-1200	4	6
FIL0462-20-85-2	462	20	85	200-1100	2	6
FIL0465-10-65-4	465	10	65	200-1200	4	2.9
FIL0465-10-60-4	465	10	60	200-1200	4	4.26
FIL0467-10-65-4	467	10	65	200-120	4	6
FIL0468-50-90-4	468	50	90	200-800	4	6
FIL0470-08-70-4	470	8	70	200-1200	4	6
FIL0470-08-70-4	470	8	70	200-1200	4	6
FIL0470-20-70-4	470	20	70	200-1200	4	6
FIL0470-20-70-4	470	20	70	200-1200	4	6
FIL0470-30-90-6	470	30	90	200-900	6	
FIL0472-09-43-4	472	9	43	200-1200	4	6
FIL0475-13-65-4	475	13	65	200-1200	4	3
FIL0475-13-65-4	475	13	65	200-1200	4	6
FIL0475-13-65-4	475	13	65	200-1200	4	6
FIL0475-20-75-4	475	20	75	200-800	4	6
FIL0476-10-60-4	476	10	60	200-1100	4	6
FIL0477-10-70-4	477	10	70	200-1200	4	6
FIL0478-10-60-4	478	10	60	200-1200	4	6
FIL0480-10-70-4	480	10	70	200-1200	4	6
FIL0484-10-70-4	484	10	70	200-1200	4	6
FIL0484-20-75-3	484	20	75	400-1100	3	6
FIL0485-10-60-4	485	10	60	200-1200	4	6



Part Number	Center Wavelength (nm)	Band Width (nm)	Transmission (%)	Blocking Wavelength (nm)	Optical Density	Thickness (mm)
FIL0486-10-75-4	486	10	75	200-1200	4	6
FIL0488-10-75-4	488	10	75	200-1100	4	4.26
FIL0488-10-70-3	488	10	70	200-1200	3	6
FIL0489-11-60-4	489	11	60	200-1200	4	2.9
FIL0490-08-75-4	490	8	75	200-1200	4	6
FIL0490-10-60-4	490	10	60	200-1200	4	4.26
FIL0491-10-75-4	491	10	75	200-1200	4	6
FIL0495-11-75-4	495	11	75	200-1200	4	2.7
FIL0495-16-80-4	495	16	80	200-1200	4	6
FIL0495-16-80-4	495	16	80	200-1200	4	6
FIL0500-10-50-3	500	10	50	200-1100	3	6
FIL0500-20-85-3	500	20	85	200-1100	3	0.55
FIL0502-10-75-4	502	10	75	200-1200	4	6
FIL0502-10-75-4	502	10	75	200-1200	4	6
FIL0503-10-70-4	503	10	70	200-1100	4	6
FIL0503-10-60-4	503	10	60	200-1200	4	6
FIL0503-11-71-4	503	11	71	200-1200	4	6
FIL0505-10-55-3	505	10	55	200-900	3	6
FIL0507-16-63-4	507	16	63	200-1200	4	6
FIL0508-10-80-3	508	10	80	200-1100	3	1.2
FIL0510-10-80-4	510	10	80	200-1200	4	4.26
FIL0512-10-80-4	512	10	80	200-1200	4	6
FIL0513-30-85-3	513	30	85	400-1100	3	4
FIL0515-10-75-4	514.5	10	75	200-1200	4	6
FIL0515-10-75-4	514.5	10	75	200-1200	4	6
FIL0515-10-75-4	514.5	10	75	200-1200	4	6
FIL0515-10-85-3	515	10	85	200-700	3	4
FIL0519-30-75-3	519	30	75	400-1000	3	2.5
FIL0520-10-60-4	520	10	60	200-1200	4	6
FIL0520-10-50-4	520	10	50	200-1200	4	6



Part Number	Center Wavelength (nm)	Band Width (nm)	Transmission (%)	Blocking Wavelength (nm)	Optical Density	Thickness (mm)
FIL0520-10-60-4	520	10	60	200-1200	4	6
FIL0525-20-76-3	525	20	76	200-700	3	1.1
FIL0525-40-90-4	525	40	90	200-800	4	6
FIL0525-40-85-4	525	40	85	450-1000	4	1.1
FIL0526-18-73-2	526	18	73	200-1200	2	6
FIL0527-10-65-4	527	10	65	200-1200	4	6
FIL0528-20-75-4	528	20	75	200-1200	4	4
FIL0529-10-60-4	529	10	60	200-1200	4	6
FIL0529-12-75-4	529	12	75	200-1200	4	6
FIL0530-10-85-3	530	10	85	400-700	3	6
FIL0530-20-65-3	530	20	65	200-1100	3	6
FIL0530-40-60-4	530	40	60	200-1200	4	6
FIL0531-17-68-2	531	17	68	200-1200	2	6
FIL0532-10-75-4	532	10	75	200-1200	4	6
FIL0533-07-78-2	533	7	78	200-1100	2	6
FIL0533-08-80-4	533	8	80	200-1100	4	6
FIL0535-10-70-4	535	10	70	200-1200	4	6
FIL0535-10-70-4	535	10	70	200-1200	4	6
FIL0535-20-75-4	535	20	75	400-1200	4	6
FIL0535-50-92-2	535	50	92	400-800	2	6
FIL0536-10-65-4	536	10	65	200-1200	4	6
FIL0537-10-75-4	537	10	75	200-1100	4	6
FIL0537-10-70-4	537	10	70	200-1200	4	6
FIL0537-40-80-4	537	40	80	200-1200	4	3
FIL0537-45-90-3	537	45	90	400-800	3	0.55
FIL0538-08-75-4	538	8	75	200-1200	4	6
FIL0540-22-60-4	540	22	60	200-1200	4	6
FIL0540-40-75-4	540	40	75	200-1200	4	6
FIL0542-30-90-3	542	30	90	400-1100	3	2
FIL0544-10-78-4	544	10	78	200-1100	4	6



Part Number	Center Wavelength (nm)	Band Width (nm)	Transmission (%)	Blocking Wavelength (nm)	Optical Density	Thickness (mm)
FIL0545-10-75-4	545	10	75	200-1200	4	6
FIL0545-11-70-4	545	11	70	200-1200	4	6
FIL0547-10-10-4	547	10	10	200-1200	4	6
FIL0550-10-50-3	550	10	50	200-800	3	6
FIL0550-20-90-3	550	20	90	400-1000	3	6
FIL0550-40-85-3	550	40	85	200-1100	3	6
FIL0551-12-55-4	551	12	55	200-1200	4	6
FIL0555-10-85-3	555	10	85	200-700	3	6
FIL0555-11-75-4	555	11	75	200-1200	4	6
FIL0555-45-90-3	555	45	90	400-700	3	6
FIL0556-12-60-4	556	12	60	200-1200	4	6
FIL0557-10-75-4	557	10	75	200-1200	4	6
FIL0558-20-86-2	558	20	86	400-1100	2	0.55
FIL0560-20-80-4	560	20	80	200-1200	4	6
FIL0560-20-80-4	560	20	80	200-1200	4	6
FIL0564-15-70-4	564	15	70	200-1200	4	6
FIL0564-40-75-4	564	40	75	200-1200	4	6
FIL0565-20-80-3	565	20	80	200-1100	3	4
FIL0565-20-86-2	565	20	86	400-1100	2	6
FIL0565-40-85-3	565	40	85	200-1200	3	1.9
FIL0566-10-70-4	566	10	70	200-1200	4	6
FIL0566-20-88-2	566	20	88	400-1100	2	6
FIL0567-10-70-4	567	10	70	200-1200	4	6
FIL0568-07-70-4	568	7	70	200-1200	4	6
FIL0568-10-80-4	568.2	10	80	200-1200	4	6
FIL0570-08-60-4	570	8	60	200-1000	4	6
FIL0570-08-70-4	570	8	70	200-1200	4	6
FIL0570-10-90-3	570	10	90	200-1100	3	0.55
FIL0570-20-80-4	570	20	80	200-1100	4	4
FIL0573-10-60-4	573	10	60	200-1200	4	6





Part Number	Center Wavelength (nm)	Band Width (nm)	Transmission (%)	Blocking Wavelength (nm)	Optical Density	Thickness (mm)
FIL0574-11-65-4	574	11	65	200-1200	4	6
FIL0578-10-75-4	577.7	10	75	200-1200	4	6
FIL0580-10-70-4	580	10	70	200-1000	4	6
FIL0580-13-62-4	580	13	62	400-1200	4	6
FIL0580-15-70-4	580	15	70	200-1200	4	6
FIL0580-60-85-4	580	60	85	200-1200	4	6
FIL0581-10-55-4	581	10	55	200-1200	4	6
FIL0584-20-70-4	584	20	70	200-1100	4	1.7
FIL0585-11-65-3	585	11	65	200-1200	3	6
FIL0585-11-65-3	585	11	65	200-1200	3	6
FIL0585-20-90-3	585	20	90	400-1100	3	6
FIL0587-10-65-4	587	10	65	200-1200	4	6
FIL0589-10-75-4	589	10	75	200-700	4	1.3
FIL0590-10-65-4	590	10	65	200-1200	4	6
FIL0590-17-60-3	590	17	60	200-1200	3	6
FIL0590-20-60-4	590	20	60	200-1200	4	6
FIL0590-20-60-4	590	20	60	200-1200	4	6
FIL0590-100-85-4	590	100	85	200-1200	4	6
FIL0591-14-80-4	591	14	80	200-1100	4	6
FIL0595-07-65-4	595	7	65	200-1100	4	6
FIL0595-10-60-4	595	10	60	200-1100	4	6
FIL0595-10-60-4	595	10	60	200-1200	4	6
FIL0595-10-85-3	595	10	85	200-800	3	6
FIL0595-15-80-4	595	15	80	200-1200	4	4.1
FIL0596-16-70-3	596	16	70	200-1200	3	6
FIL0596-16-70-3	596	16	70	200-1200	3	6
FIL0600-15-65-3	600	15	65	200-1200	3	6
FIL0600-30-70-3	600	30	70	400-1100	3	1.2
FIL0603-10-65-3	603	10	65	200-1100	3	6
FIL0603-14-75-4	603	14	75	200-1200	4	6



Part Number	Center Wavelength (nm)	Band Width (nm)	Transmission (%)	Blocking Wavelength (nm)	Optical Density	Thickness (mm)
FIL0605-10-65-3	605	10	65	200-1200	3	6
FIL0605-10-65-3	605	10	65	200-1200	3	6
FIL0605-10-80-3	605	10	80	200-800	3	6
FIL0605-20-85-4	605	20	85	200-1000	4	6
FIL0605-40-65-4	605	40	65	200-800	4	6
FIL0605-95-90-3	605	95	90	400-1000	3	6
FIL0607-10-80-4	607	10	80	200-1200	4	0.7
FIL0610-10-70-4	610	10	70	200-1200	4	6
FIL0615-10-70-4	615	10	70	200-1000	4	3.5
FIL0616-20-80-3	616	20	80	400-1100	3	6
FIL0625-10-85-3	625	10	85	200-800	3	6
FIL0625-11-65-3	625	11	65	200-1200	3	1.1
FIL0630-10-60-3	630	10	60	400-1100	3	6
FIL0633-10-80-4	632.8	10	80	200-1200	4	6
FIL0633-10-60-3	632.8	10	60	400-1100	3	6
FIL0635-10-70-3	635	10	70	200-1100	3	6
FIL0635-30-80-3	635	30	80	200-800	3	6
FIL0635-50-85-2	635	50	85	400-800	2	6
FIL0635-50-80-2	635	50	80	400-800	2	6
FIL0637-47-82-2	637	47	82	400-800	2	6
FIL0638-20-85-3	638	20	85	400-1100	3	4
FIL0640-10-80-3	640	10	80	200-1100	3	6
FIL0640-10-80-3	640	10	80	200-1100	3	6
FIL0640-20-70-3	640	20	70	400-1100	3	6
FIL0640-50-80-3	640	50	80	200-1100	3	6
FIL0650-30-65-3	650	30	65	200-1100	3	6
FIL0652-10-72-3	652	10	72	200-1200	3	6
FIL0652-10-72-2	652	10	72	200-1200	2	6
FIL0652-44-80-2	652	44	80	200-1200	2	6
FIL0654-10-85-3	654	10	85	200-1100	3	0.55



Part Number	Center Wavelength (nm)	Band Width (nm)	Transmission (%)	Blocking Wavelength (nm)	Optical Density	Thickness (mm)
FIL0655-10-85-3	655	10	85	200-1200	3	6
FIL0655-20-85-3	655	20	85	200-1200	3	6
FIL0655-40-90-3	655	40	90	300-950	3	0.3
FIL0655-160-95-3	655	160	95	400-1100	3	6
FIL0658-10-85-3	658	10	85	200-1100	3	6
FIL0658-10-85-3	658	10	85	200-1100	3	0.55
FIL0660-20-85-3	660	20	85	400-1100	3	6
FIL0660-30-90-2	660	30	90	300-950	2	6
FIL0660-35-85-3	660	35	85	200-1100	3	1.1
FIL0662-35-85-2	662	35	85	200-800	2	6
FIL0665-20-20-3	665	20	20	200-1200	3	1.8
FIL0665-22-80-3	665	22	80	200-1200	3	1.15
FIL0670-10-85-3	670	10	85	200-1100	3	6
FIL0670-10-75-4	670	10	75	200-1200	4	1.7
FIL0672-20-67-2	672	20	67	200-1200	2	6
FIL0675-20-90-3	675	20	90	200-1100	3	3
FIL0675-20-80-3	675	20	80	200-1200	3	1.8
FIL0676-20-90-2	676	20	90	200-1100	2	3
FIL0676-20-75-3	676	20	75	200-1200	3	1.8
FIL0680-11-80-3	680	11	80	200-1100	3	6
FIL0681-40-90-3	681	40	90	400-1100	3	0.55
FIL0683-34-92-2	683	34	92	200-1000	2	0.55
FIL0688-40-94-2	688	40	94	200-1000	2	6
FIL0690-30-90-5	690	30	90	580-835	5	0.55
FIL0690-40-90-2	690	40	90	400-1100	2	6
FIL0694-10-80-4	694.3	10	80	200-1200	4	6
FIL0694-10-75-4	694.3	10	75	200-1200	4	6
FIL0695-40-90-2	695	40	90	200-1100	2	6
FIL0696-40-90-2	696	40	90	400-1100	2	6
FIL0700-30-90-3	700	30	90	200-1100	3	6

Part Number	Center Wavelength (nm)	Band Width (nm)	Transmission (%)	Blocking Wavelength (nm)	Optical Density	Thickness (mm)
FIL0700-40-90-2	700	40	90	200-1100	2	6
FIL0705-30-95-2	705	30	95	200-1100	2	6
FIL0709-18-60-2	709	18	60	400-1200	2	6
FIL0748-11-60-3	748	11	60	200-1200	3	6
FIL0753-50-65-3	753	50	65	400-1000	3	6
FIL0760-50-80-2	760	50	80	400-1100	2	6
FIL0760-330-90-3	760	330	90	400-1200	3	6
FIL0765-53-90-2	765	53	90	400-1000	2	6
FIL0766-12-75-3	766	12	75	200-1200	3	6
FIL0775-20-85-3	775	20	85	400-1100	3	6
FIL0780-20-80-3	780	20	80	200-1200	3	6
FIL0792-11-75-3	792	11	75	200-1200	3	6
FIL0792-11-75-3	792	11	75	200-1200	3	6
FIL0800-20-90-3	800	20	90	200-1100	3	6
FIL0806-20-75-3	806	20	75	400-1200	3	3.5
FIL0808-20-90-3	808	20	90	200-1100	3	0.55
FIL0808-30-90-2	808	30	90	400-1100	2	6
FIL0810-20-90-3	810	20	90	400-1100	3	2
FIL0810-20-90-2	810	20	90	400-1100	2	0.55
FIL0812-28-85-3	812	28	85	200-1150	3	6
FIL0815-30-85-3	815	30	85	200-1100	3	6
FIL0818-30-90-2	818	30	90	200-1200	2	6
FIL0820-27-90-2	820	27	90	400-1100	2	4
FIL0825-20-85-2	825	20	85	400-1100	2	6
FIL0825-30-90-2	825	30	90	200-1100	2	6
FIL0830-20-85-2	830	20	85	400-1100	2	6
FIL0835-20-70-2	835	20	70	400-1100	2	6
FIL0838-18-66-2	838	18	66	400-1100	2	6
FIL0844-30-80-2	844	30	80	400-1100	2	6
FIL0845-50-90-3	845	50	90	400-1100	3	6



Part Number	Center Wavelength (nm)	Band Width (nm)	Transmission (%)	Blocking Wavelength (nm)	Optical Density	Thickness (mm)
FIL0846-18-85-5	846	18	85	200-1200	5	6
FIL0846-30-87-2	846	30	87	400-1100	2	6
FIL0850-18-90-4	850	18	90	200-1200	4	6
FIL0850-20-80-3	850	20	80	200-1100	3	6
FIL0850-30-85-2	850	30	85	200-1200	2	6
FIL0850-45-92-2	850	45	92	400-1100	2	6
FIL0855-20-90-2	855	20	90	200-1100	2	6
FIL0856-31-85-2	856	31	85	400-1100	2	6
FIL0860-30-90-1	860	30	90	200-1100	1	6
FIL0880-10-70-4	880	10	70	200-1100	4	6
FIL0922-30-78-3	922	30	78	400-1100	3	6
FIL0926-28-80-2	926	28	80	400-1100	2	6
FIL0927-30-85-3	927	30	85	400-1100	3	6
FIL0932-30-90-2	932	30	90	200-1150	2	6
FIL0935-28-90-2	935	28	90	200-1200	2	6
FIL0936-14-40-3	936	14	40	200-1100	3	6
FIL0938-80-90-1	938	80	90	200-1200	1	6
FIL0940-13-40-3	940	12.5	40	200-1100	3	6
FIL0940-30-90-2	940	30	90	400-1100	2	6
FIL0940-50-85-3	940	50	85	200-1100	3	6
FIL0942-30-80-4	942	30	80	200-1200	4	3.3
FIL0946-18-66-3	946	18	66	200-1100	3	6
FIL0947-30-90-2	947	30	90	400-1100	2	6
FIL0949-28-84-2	949	28	84	200-1200	2	6
FIL0950-25-90-3	950	25	90	400-1100	3	6
FIL0950-50-90-2	950	50	90	400-1100	2	6
FIL0960-27-84-3	960	27	84	200-1200	3	6
FIL0961-30-83-4	961	30	83	400-1100	4	6
FIL0962-30-80-2	962	30	80	200-1200	2	6
FIL0970-80-90-3	970	80	90	200-1150	3	6



Part Number	Center Wavelength (nm)	Band Width (nm)	Transmission (%)	Blocking Wavelength (nm)	Optical Density	Thickness (mm)
FIL0970-80-90-3	970	80	90	200-1150	3	2
FIL0980-20-85-3	980	20	85	200-1100	3	6
FIL0980-30-85-3	980	30	85	200-1100	3	6
FIL0995-12-33-3	995	12	33	200-1100	3	6
FIL0995-23-70-3	995	23	70	200-1100	3	6
FIL0995-25-70-3	995	25	70	200-1100	3	6
FIL0996-13-55-3	996	13	55	200-1100	3	6
FIL0998-15-60-3	998	15	60	200-1100	3	6
FIL01002-14-53-3	1002	14	53	200-1100	3	6
FIL01005-26-62-3	1005	26	62	200-1100	3	6
FIL01008-40-65-3	1008	40	65	200-1100	3	6
FIL01011-13-73-3	1011	13	73	200-1100	3	6
FIL01012-13-56-3	1012	13	56	200-1100	3	6
FIL01012-38-65-3	1012	38	65	200-1100	3	6
FIL01016-30-52-3	1016	30	52	200-1100	3	6
FIL01017-10-70-4	1017	10	70	400-700	4	2
FIL01020-10-30-4	1020	10	30	200-1200	4	6
FIL01023-10-70-4	1023	10	70	400-700	4	2
FIL01025-10-70-4	1025	10	70	200-1200	4	6
FIL01030-12-80-4	1030	12	80	200-1100	4	6
FIL01040-11-65-4	1040	11	65	200-1200	4	6
FIL01043-11-75-4	1043	11	75	200-1200	4	3.1
FIL01044-09-76-4	1044	9	76	200-1200	4	3.1
FIL01044-10-40-4	1044	10	40	200-1200	4	6
FIL01045-10-70-4	1045	10	70	200-1200	4	6
FIL01045-10-70-4	1045	10	70	200-1200	4	6
FIL01046-08-74-4	1046	8	74	200-1200	4	3.1
FIL01050-10-70-4	1050	10	70	200-1200	4	6
FIL01051-10-70-4	1051	10	70	200-1200	4	6
FIL01053-10-80-4	1053	10	80	200-1200	4	4




Part Number	Center Wavelength (nm)	Band Width (nm)	Transmission (%)	Blocking Wavelength (nm)	Optical Density	Thickness (mm)
FIL01054-10-78-4	1054	10	78	200-1200	4	2.5
FIL01055-11-70-4	1055	11	70	200-1200	4	6
FIL01055-11-70-4	1055	11	70	200-1200	4	6
FIL01056-11-80-4	1056	11	80	200-1200	4	6
FIL01057-17-70-4	1056.5	17	70	200-1200	4	6
FIL01057-10-78-4	1057	10	78	200-1200	4	2.5
FIL01058-17-60-3	1058	17	60	200-1200	3	6
FIL01060-08-60-4	1060	8	60	200-1200	4	6
FIL01060-10-70-4	1060	10	70	200-1200	4	2
FIL01062-18-68-4	1062	18	68	200-1200	4	6
FIL01062-20-67-4	1062	20	67	200-1200	4	2.5
FIL01063-17-46-4	1063	17	46	200-1200	4	6
FIL01064-10-70-4	1064	10	70	200-1200	4	2
FIL01064-10-70-3	1064	10	70	200-1200	3	2.8
FIL01066-06-80-4	1066	6	80	200-1200	4	6
FIL01066-08-80-4	1066	8	80	200-1200	4	6
FIL01066-10-60-4	1066	10	60	200-1200	4	6
FIL01066-17-72-3	1066	17	72	200-1200	3	6
FIL01068-07-70-4	1068	7	70	200-1200	4	6
FIL01068-17-60-3	1068	17	60	200-1200	3	6
FIL01070-06-80-4	1070	6	80	200-1200	4	6
FIL01070-10-70-4	1070	10	70	200-1200	4	6
FIL01070-10-70-4	1070	10	70	200-1200	4	6
FIL01071-17-73-4	1071	17	73	200-1200	4	6
FIL01071-17-72-3	1071	17	72	200-1200	3	6
FIL01072-18-74-4	1072	18	74	200-1200	4	6
FIL01073-18-74-4	1073	18	74	200-1200	4	6
FIL01076-16-70-3	1076	16	70	200-1200	3	6
FIL01077-15-72-4	1077	15	72	200-1200	4	6
FIL01078-16-75-4	1078	16	75	200-1200	4	6



Part Number	Center Wavelength (nm)	Band Width (nm)	Transmission (%)	Blocking Wavelength (nm)	Optical Density	Thickness (mm)
FIL01275-70-70-2	1275	70	70	200-2000	2	2
FIL01285-70-75-2	1285	70	75	200-2000	2	6
FIL01530-60-90-3	1530	60	90	200-2000	3	6
FIL01540-60-90-3	1540	60	90	200-2000	3	6
FIL01540-60-90-3	1540	60	90	200-2000	3	6
FIL01545-08-90-2	1545	8	90	200-2000	2	2.2
FIL01545-13-50-4	1545	13	50	200-2000	4	1.1
FIL01545-60-85-3	1545	60	85	200-2000	3	1.1
FIL01550-10-25-4	1550	10	25	200-1200	4	6
FIL01550-75-90-4	1550	75	90	200-2400	4	6
FIL01560-60-85-3	1560	60	85	200-2000	3	6
FIL01560-60-85-3	1560	60	85	200-2000	3	1.1
FIL01600-90-75-3	1600	90	75	200-2000	3	6
FIL01625-90-85-3	1625	90	85	200-2000	3	1
FIL01643-90-77-3	1643	90	77	200-2000	3	6
FIL01645-13-50-3	1645	13	50	200-2000	3	6
FIL01656-15-45-4	1656	15	45	400-1100	4	6
FIL01660-16-45-4	1660	16	45	400-1100	4	6
FIL01663-13-70-4	1663	13	70	400-1100	4	5.3
FIL01664-13-55-4	1664	13	55	400-1100	4	6
FIL01695-15-70-4	1695	15	70	400-1100	4	5.3
FIL01695-15-70-4	1695	15	70	400-1100	4	5.3
FIL01700-15-60-4	1700	15	60	400-1000	4	5.3
FIL01700-15-70-4	1700	15	70	400-1100	4	5.3
FIL01796-15-70-4	1796	15	70	400-1100	4	5.3

## Z-OPTICS LIMITED

Canada  
Montreal, Canada  
 +1-2892370810



China  
Zhejiang Province,  
China

   linjiali  
13706776900  
+86-13706776900



sales@z-optics.com

India  
Noida, U.P.  
India  
  vaibhav.mohale1  
+91-9028420101

