



ZnS Windows

- **Material:** ZnS
- **Surface Figure:** $1\lambda@633\text{nm}$
- **Parallelism:** $<1'$
- **Surface Quality:** 60-40 Scratch and dig
- **Diameter Tolerance:** $+0.0/-0.1\text{mm}$
- **Thickness Tolerance:** $\pm 0.1\text{mm}$
- **Chamfer:** Protective chamfer $0.2\text{mm} \times 45^\circ$
- **Coating:** see product list



ZnS Transmission



IR2 Coating @ 8~12μm

Part No	Diameter (mm)	Thickness(mm)
WIN0100-010-60-ZnS	10	1
WIN0100-020-60-ZnS	10	2
WIN0125-020-60-ZnS	12.5	2
WIN0127-010-60-ZnS	12.7	1
WIN0127-020-60-ZnS	12.7	2
WIN0130-020-60-ZnS	13	2
WIN0150-010-60-ZnS	15	1
WIN0150-020-60-ZnS	15	2
WIN0150-025-60-ZnS	15	2.5
WIN0160-020-60-ZnS	16	2
WIN0180-025-60-ZnS	18	2.5

Unless otherwise specified, all dimensions are in mm



ZnS Windows

Part No	Diameter (mm)	Thickness(mm)
WIN0200-010-60-ZnS	20	1
WIN0200-020-60-ZnS	20	2
WIN0200-027-60-ZnS	20	2.7
WIN0200-100-60-ZnS	20	10
WIN0250-005-60-ZnS	25	0.5
WIN0250-010-60-ZnS	25	1
WIN0250-015-60-ZnS	25	1.5
WIN0250-020-60-ZnS	25	2
WIN0250-025-60-ZnS	25	2.5
WIN0250-030-60-ZnS	25	3
WIN0254-030-60-ZnS	25.4	3
WIN0254-080-60-ZnS	25.4	8
WIN0260-025-60-ZnS	26	2.5
WIN0300-010-60-ZnS	30	1
WIN0300-020-60-ZnS	30	2
WIN0300-030-60-ZnS	30	3
WIN0300-100-60-ZnS	30	10
WIN0310-020-60-ZnS	31	2
WIN0350-040-60-ZnS	35	4
WIN0360-0120-60-ZnS	36	12
WIN0380-040-60-ZnS	38	4
WIN0400-020-60-ZnS	40	2
WIN0400-030-60-ZnS	40	3
WIN0400-050-60-ZnS	40	5

Unless otherwise specified, all dimensions are in mm



ZnS Windows


Part No	Diameter (mm)	Thickness(mm)
WIN0400-100-60-ZnS	40	10
WIN0430-030-60-ZnS	43	3
WIN0460-100-60-ZnS	46	10
WIN0500-005-60-ZnS	50	0.5
WIN0500-010-60-ZnS	50	1
WIN0500-020-60-ZnS	50	2
WIN0500-030-60-ZnS	50	3
WIN0500-040-60-ZnS	50	4
WIN0500-050-60-ZnS	50	5
WIN0600-030-60-ZnS	60	3
WIN0600-050-60-ZnS	60	5
WIN0700-030-60-ZnS	70	3
WIN0700-050-60-ZnS	70	5
WIN0700-060-60-ZnS	70	6
WIN0700-070-60-ZnS	70	7
WIN0700-080-60-ZnS	70	8
WIN0700-100-60-ZnS	70	10
WIN0800-030-60-ZnS	80	3
WIN0800-040-60-ZnS	80	4
WIN0800-080-60-ZnS	80	8
WIN01000-050-60-ZnS	100	5
WIN01000-080-60-ZnS	100	8

Unless otherwise specified, all dimensions are in mm




ZnS Windows (Square)

- **Material:** ZnS
- **Surface Figure:** 1 λ @633nm
- **Parallelism:** <1'
- **Surface Quality:** 60-40 Scratch and dig
- **Diameter Tolerance:** +0.0/-0.1mm
- **Thickness Tolerance:** ± 0.1 mm
- **Chamfer:** Protective chamfer 0.2mmX45°
- **Coating:** see product list



ZnS Transmission



IR2 Coating @ 8~12μm

Part No	Size (mm)	Thickness(mm)
WIN1-100X100-05-ZnS	10x10	0.5
WIN1-100X100-10-ZnS	10x10	1
WIN1-120X120-05-ZnS	12x12	0.5
WIN1-100X120-10-ZnS	12x12	1
WIN1-200X200-10-ZnS	20x20	1
WIN1-500X500-15-ZnS	50x50	1.5
WIN1-750X500-20-ZnS	75x50	2
WIN1-100X100-10-ZnS	100x100	1
WIN6-230X500-60-ZnS	230x50	6

Unless otherwise specified, all dimensions are in mm

